

## Rundstangen

### Aluminiumbronze

gezogen · gepresst · Strangguss



Durchmesser in mm	Kg/m ca.	CW307G CuAl10Ni5Fe4	CC333G CuAl10Fe5Ni5-C
6,0	0,22	•	
8,0	0,38	•	
10,0	0,60	•	
12,0	0,86	•	
13,0	1,01	•	
14,0	1,18	•	
15,0	1,35	•	
16,0	1,54	•	
17,0	1,74	•	
18,0	1,95	•	
19,0	2,17	•	
20,0	2,40	•	
21,0	2,65	•	
22,0	2,91	•	
23,0	3,18	•	
24,0	3,46	•	
25,0	3,75	•	
26,0	4,06	•	
28,0	4,71	•	
29,0	5,05	•	
30,0	5,40	•	
31,0	5,77	•	
32,0	6,15	•	
33,0	6,54	•	
34,0	6,94	•	
35,0	7,36	•	
36,0	7,78	•	
37,0	8,22	•	
38,0	8,67	•	
40,0	9,61	•	
41,0	10,09	•	
42,0	10,59	•	•
45,0	12,16	•	
46,0	12,71	•	
47,0	13,27	•	
48,0	13,84	•	
50,0	15,01	•	

## Rundstangen

### Aluminiumbronze

gezogen · gepresst · Strangguss



Durchmesser in mm	Kg/m ca.	CW307G CuAl10Ni5Fe4	CC333G CuAl10Fe5Ni5-C
51,0	15,6	•	
52,0	16,2	•	•
55,0	18,2	•	
56,0	18,8	•	
58,0	20,2	•	
60,0	21,6	•	
61,0	22,3	•	
62,0	23,1	•	•
65,0	25,4	•	
66,0	26,2	•	
67,0	27,0	•	•
70,0	29,4	•	
71,0	30,3	•	
72,0	31,1		•
76,0	34,7	•	
77,0	35,6		•
81,0	39,4	•	
82,0	40,4		•
86,0	44,4	•	
87,0	45,5		•
91,0	49,7	•	
92,0	50,8		•
96,0	55,3	•	
102,0	62,5	•	•
105,0	66,2	•	
112,0	75,3	•	•
115,0	79,4	•	
122,0	89,4	•	•
125,0	93,8	•	
132,0	104,6	•	•
142,0	121,1	•	•
152,0	138,7	•	•
162,0	157,6	•	•
172,0	177,7	•	•
182,0	198,9		•
192,0	221,4		•
203,0	247,5		•

## Rundstangen

### Aluminiumbronze

gezogen · gepresst · Strangguss



Durchmesser in mm	Kg/m ca.	CC333G CuAl10Fe5Ni5-C
213,0	272,5	•
223,0	298,6	•
233,0	326,0	•
243,0	354,6	•
253,0	384,4	•
263,0	415,4	•
273,0	447,6	•
283,0	481,0	•
293,0	515,5	•
303,0	551,3	•
313,0	588,3	•
323,0	626,5	•
333,0	665,9	•
343,0	706,5	•
363,0	791,3	•
383,0	880,9	•
404,0	980,2	•