


## Rundstangen


## Sondermessing



Durchmesser in mm	Kg/m ca.	CW710R CuZn35Ni3Mn2AlPb	CW713R CuZn37Mn3Al2PbSi	CW723R CuZn40Mn2Fe1	CW708R CuZn31Si1
6,0	0,25		•		
7,0	0,34		•		
8,0	0,45	•	•		
9,0	0,57		•		
10,0	0,70	•	•		
11,0	0,85		•		
12,0	1,01	•	•		
13,0	1,18		•		
14,0	1,37	•	•		
15,0	1,57	•	•	•	
16,0	1,79	•	•		
17,0	2,02		•		
18,0	2,26	•	•		
19,0	2,52		•		
20,0	2,79	•	•	•	•
21,0	3,08		•		

## Rundstangen


## Sondermessing



Durchmesser in mm	Kg/m ca.	CW710R CuZn35Ni3Mn2AlPb	CW713R CuZn37Mn3Al2PbSi	CW723R CuZn40Mn2Fe1	CW708R CuZn31Si1
22,0	3,38	•	•		
23,0	3,70		•		
24,0	4,02	•	•		
25,0	4,37	•	•		
26,0	4,72	•	•		
28,0	5,48	•	•		
30,0	6,29	•	•	•	•
32,0	7,15	•	•		
35,0	8,56	•	•	•	
36,0	9,05	•	•		
38,0	10,09	•	•		
40,0	11,18	•	•	•	•
42,0	12,32	•	•		
45,0	14,15	•	•		
48,0	16,10		•		
50,0	17,47	•	•	•	•

## Rundstangen


### Sondermessing



Durchmesser in mm	Kg/m ca.	CW710R CuZn35Ni3Mn2AlPb	CW713R CuZn37Mn3Al2PbSi	CW723R CuZn40Mn2Fe1	CW708R CuZn31Si1
52,0	18,89		•		
55,0	21,13	•	•		
60,0	25,15	•	•	•	•
65,0	29,52	•	•		
70,0	34,23	•	•	•	•
75,0	39,30	•	•		
80,0	44,71	•	•		•
85,0	50,48	•	•		
90,0	56,59	•	•		
95,0	63,05		•		
100,0	69,87	•	•		•
105,0	77,03		•		
110,0	84,54		•		
120,0	100,61	•	•		•
130,0	118,07	•	•		
140,0	136,94		•		

## Rundstangen

## Sondermessing



Durchmesser in mm	Kg/m ca.	CW710R CuZn35Ni3Mn2AlPb	CW713R CuZn37Mn3Al2PbSi
150,0	157,20	•	•
160,0	178,85		•
170,0	201,91		•
180,0	226,36		•
183,0	233,97		•
200,0	279,46		•
203,0	287,91		•
223,0	347,43		•
233,0	379,29		•
243,0	412,55		•
253,0	447,20		•
283,0	559,54		•
303,0	641,42		•
320,0	715,42		•